


Ideal solution to keep your boat dry, perfectly protected from concretions and weather hazards, our floating dock also enhances it, protects it from shocks, facilitates boarding and disembarking, ...

It remains ready for departure at all times and can be operated with the engine by a single person.



With more than 500 bases installed in 15 years and due to our presence as close as possible to users, we have developed this new sliding cushion system to provide flawless protection to the boat and ideal comfort to the user, while further improving the durability of the floating structure.

The result of 15 years of research and improvments

Our new cushioned boat floor, compatible with the old roller system, brings several innovations and improvements, the result of 15 years of research and experience in the field with marine professionals.

We have developed this new cushions system for more comfort and protection. Easy to replace, they protect the boat and the dock while ensuring easy ascent and descent.


A new monobloc entrance ramp channels the boat at the entrance to the dock. It sinks as the boat passes and distributes the load from slider to slider. By providing the water required for the descent, the structure always remains clean.

Without mechanical and metallic parts, our floating sliders does not require any particular maintenance or power supply. Designed for most outboard or Sail drive boats, our system can be assembled with a cubic structure, an access pontoon, other boat bases (for rental, ports, etc.), various safety or comfort accessories (ladder, fenders, handrails, mooring cleat, ...).



NEW SIDE AND CENTRAL CUSHIONS

Optimal protection of the boat without elements that could damage the hull Protection of the structure (against strakes, sharp bows, ...)
Cushions fitted by clipping, easy to replace
Better load distribution and excellent slip



SLIDER STOP

to stop the boat and secure the boatfloor structure



NEW BLOWED SLIDERS

Better load distribution Even more resistant due to the blowing Compatible with old sliders with rolls Cushions fixed by clip, easy to change



100% COMPATIBLE with EcoSystem cubes

and old system with rolls

NEW MONOBLOC ENTRANCE RAMP

Extended by 25 cm to facilitate access One-piece for more cohesion Two central and 2 side cushions









How does it work?

To go up the base:

- 1 Put the nose of the boat on the entrance ramp, mark the stop sign and place yourself on the axis.
- 2 Accelerate until the boat is installed, apron shed door.
- 3 Turn off the engine and adjust the sail trimmer (off the water).

To go down the base:

- 1 Adjust the sail trimmer (on the water) and start the engine.
- 2 Engage the reverse gear and control the speedup smoothly. The reverse gear brings back water and the boat takes off using this one.
 If nothing happens after 10 seconds, increase the engine speed and maintain it.
- 3 As soon as the boat starts to back down, reduce engine speed and exit gently

Anchoring & Accessories

Our docks can be moored like a boat or with some accessories like a stainless steel plate (to follow the tidal range), and also anchored.

We also have a range of safety accessories (buoy box, handrails, ...) or comfort (ladder, mooring ring, bollard, fenders, ...).

Do not hesite to refer to out catalogue.



SOME GOOD REASONS TO BUY A FLOATING DOCK

Optimal and complete protection of your boat Hull and engine out of water during storage Economy of fairing and antifouling Better accessibility & enhancement

Technical characteristics

Buoyancy: 360 kg/m2
Resistance of assembling rings: 2 t
High impact resistance
Rigidity of the assembly
Anti-UV & Anti-static treatment
Flame retarding
& frost resistance



For which boats?

For V hulls from 125° to 145° polyester, alu or wood

Semi-rigid or rigid boats

From 4 to 11 meters, from 300 Kg to 6 tons

Outboard or Sail Drive engines







Other focus points

- Modular and expandable system
- Perfectly adapted to the dimensions of the boat
- easy to drive on alone due to the motor
- Stability during loading / unloading
- Maintenance and repair out of the water
- Flotation guaranteed in damage or accident cases
- Natural drainage of rainwater
- Ecological: no more hull treatment!
- No corrosion or maintenance

- P-11370 Port Leucate
- @ info@marinefloor.eu
- (f) (a) (a) (marineflooreurope

+33(0) 4 68 70 42 83

Marinefloor.fr

Made in France

10 years warranty